

**2011 PORTABLE
HEATING RANGE**



**COMFORT.
BY DESIGN**

DIMPLEX® COMFORT. BY DESIGN



Dimplex, the world's largest electrical heating company has over 60 years manufacturing experience and an unmatched reputation for quality and reliability in creating **COMFORT. BY DESIGN.**

Our extensive range of portable heaters include the new Eco Column Heaters. These incorporate the patented Dimplex Drytech element which ensure rapid warm up and presents a more efficient method of heating.

As leaders in the industry Dimplex has set the standard in realism and innovation in electric fires. Whatever your taste – ultra modern, traditional or classic, Dimplex has a fire to suit your décor and lifestyle.

Other products available in the range include Oil-Filled Column Heaters, Ceramic Heaters, Radiant Heaters, Panel Heaters and Dehumidifiers.

CONTENTS

Eco Column Heaters	4
Oil-Filled Column Heaters	6
Ceramic Heaters	8
Radiant Heater	10
Electric Fires	11
Dehumidifiers	16
Technical Specifications	18

ECO COLUMN HEATERS



**EFFICIENT
HEATING**



Thermostat control with
2 heat settings



Open-top fin technology for
rapid heat release



Multi-directional castors
for portability



OFRC15B

Lengthy warm-up times are a thing of the past with the new Eco Column Heaters. Incorporating the patented Dimplex Drytech element, Eco Column Heaters facilitate faster warm up times - up to eight times faster than traditional oil-filled column heaters.

All models are available in a stylish black or light grey finish with outputs varying from 1kW to 2.4kW each with two heat settings, thermostatic control and castors for easy movement from one room to another.

Features

All Models

- Thermostat control
- Drytech Technology
- Oil free heating
- Lightweight
- 2 heat settings
- Greater heating efficiency compared to standard Dimplex oil-filled column heaters
- 8 times faster warm up than oil
- Castors for portability

Additional Features

OFRC24TI/OFRC24TIB

- 24hr electronic timer

Product Sizes

- OFRC10** - 1.0kW heat output
- OFRC10B** - 1.0kW heat output
- OFRC15** - 1.5kW heat output
- OFRC15B** - 1.5kW heat output
- OFRC24TI** - 2.4kW heat output
- OFRC24TIB** - 2.4kW heat output



OFRC10



OFRC10B



OFRC15



OFRC24TI



OFRC24TIB



Dimplex Eco Column Heaters carry no oil meaning lighter product weights along with being easier to dispose of and recycle.



In Lab tests conducted between a 2kw Dimplex Oil Column and 2kw Dimplex Eco Column, the Dimplex Eco Column heated the test room quickest and consumed the least power to maintain room temperature.



The Dimplex Eco Column Heaters will heat up to 8 times faster than Dimplex Oil Column Heaters.

OIL-FILLED COLUMN HEATERS



Thermostat control with
2 heat settings



Multi-function 24hr timer



Multi-directional castors
for portability

OFC2400TIF

Dimplex Oil-Filled Column heaters range from 1.2kW to 2.4kW models, offering comfort for small to large sized rooms. All models incorporate a thermostatic control with overheat protection and are designed with multi-directional castors making it easy to move from room to room.

Features

All Models

- White finish
- 2 heat settings
- Cable tidy for neater storage
- Thermostatically controlled with frost protection
- Castors for easy portability

Additional Features

OFC2400TI

- 24hr electronic timer

OFC2400TIF

- 24hr electronic timer with turbo fan

Product Sizes

OFC1200 - 1.2kW heat output

OFC1500 - 1.5kW heat output

OFC2400TI - 2.4kW heat output

OFC2400TIF - 2.4kW heat output



OFC1500



OFC1200



OFC2400TI

CERAMIC HEATERS



CDimplex

GDHCER20



One touch smart LED panel gives you easy access to controls



Comes with a simple R/C for remote operation



Slim design to practically fit any space

Dimplex Ceramic Heaters are designed as a lightweight portable heating solution and are highly effective for those with respiratory illnesses or allergies. Unlike conventional fan heaters where dust particles can be burnt creating unpleasant odours, Dimplex ceramic heater technology ensures that only clean warm air is distributed.

Features

All Models

- 2 heat settings
- Air filter
- Slim design
- Tip over protection
- Double overheat protection
- Oscillating function

Product Sizes & Features

GDHCER20

- 2.0kW heat output
- LED display with touch screen
- 7.5hr electronic timer

GDHCER24SL

- 2.4kW heat output
- LED display and one touch control panel
- 12hr electronic timer
- Electronic climate control
- Glass base
- Electronic thermostat control



GDHCER20



GDHCER24SL

RADIANT HEATER

Dimplex Radiant Heaters are robust, silent and provide the perfect mix of radiant and convection heat to create comfort in any room. They are designed with stainless steel reflectors to allow maximum heat output and built with tip-over protection to ensure safety.

GDH-RAD24F

- 2.4kW heat output
- Adjustable thermostat
- Stainless steel reflectors, ensure great heat distribution
- Tip over protection
- Castors for portability
- 4 heat settings
- Double stainless steel reflectors



4 heat settings



Double stainless steel reflectors



Long lasting radiant elements

ELECTRIC FIRES

There's nothing quite like the effect of a fire. It creates a wonderful feeling of comfort and cosiness. Dimplex Electric Fires require no installation, bringing you an incredibly realistic flame effect at the flick of a switch.

They can be placed almost anywhere and require no flueing. Dimplex Electric Fires are also extremely safe, no exposed flames or hot glass to worry about.



MINICUBE

- 1.5kW heat output
- 2 heat settings (700W/1500W)
- Piano black finish
- Flame effect can be used independently of heat source
- Optiflame with coal effect
- Modern curved steel casing
- 37x 32 x 20 (H x W x D) cm

CONTEMPORARY DESIGN

Dimplex Electric Fires can be used for your heating needs and can also be used independently of the heat source to provide elegance and ambience to a room during the warmer months.



CUBE

- 2kW heat output
- 2 heat settings (1000W/2000W)
- White finish
- Flame effect can be used independently of heat source
- Optiflame with log effect
- Modern curved steel casing
- 49 x 47 x 206 (H x W x D) cm

REALISTIC FLAME EFFECT

SPRINGBORNE

- 2kW heat output
- 2 heat settings (1000W/2000W)
- Optiflame with coal effect with real coal
- Flame effect can be used independently of heat source
- Opening doors
- Compact stove designed to fit in or on a standard fireplace or hearth
- 66 x 43 x 28 (H x W x D) cm



A black wood burner with a glass door and a small handle, set against a stone fireplace wall. The burner is lit, showing a fire with logs inside. The room has a wooden floor and a white rug.

RITZ

- 2kW heat output
- 2 heat settings (1000W/2000W)
- Matt black finish
- Flame effect can be used independently of heat source
- Optiflame with log effect
- Opening door
- 59.5 x 57 x 31.5 (H x W x D) cm

INSTANT AMBIENCE

A black wood burner with a glass door and a small handle, set against a plain wall. The burner is lit, showing a fire with logs inside. To the left, there is a wooden table with a basket of fruit and a book. The room has a tiled floor and a wooden side table.

BRAYFORD

- 2kW heat output
- 2 heat settings (1000W/2000W)
- Flame effect can be used independently of heat source
- Optiflame with log effect
- Compact stove designed to fit in or on a standard fireplace or hearth
- 54.5 x 44 x 31 (H x W x D) cm



LEE

- 2kW heat output
- 2 heat settings (1000W/2000W)
- Castors for easy portability
- Carry handles to move from room to room
- Flame effect can be used independently of heat source
- Optiflame with log effect
- Premium silver steel casing
- Flame dimmer
- Thermostat control
- 72.5 x 56.5 x 26 (H x W x D) cm

STYLISH AND ELEGANT



MOZART

- 2kW heat output
- 2 heat settings (1000W/2000W)
- Freestanding suite with stone surround effect and black marble effect panel
- Flame effect can be used independently of heat source
- Optiflame with log effect
- Concealed controls
- No assembly required
- 85.7 x 92 x 37.5 (H x W x D) cm

DIMPLEX DEHUMIDIFIERS



GDH-DEH16E

Dimplex dehumidifiers bring efficiency to your household heating needs by taking moisture out of the air, allowing your primary heat source to heat your home faster with greater efficiency. Dimplex dehumidifiers use very little power in their operation with the GDH-DEH20EP using as little as 320 watts, that's less than a third of the power usage of a 5 fin oil column heater.

Features

All Models

- Stylish European design
- 2 fan speeds
- Continuous drainage feature
- Automatic defrost
- Castors for optimum portability
- Easy clean air filters
- Electronic Controls

Additional Features

GDH-DEH16E

- 16 litre moisture removal per day
- 3.5 litre storage container
- 12hr timer

GDH-DEH20EP

- 20 litre moisture removal per day
- 3.5 litre storage container
- 12hr timer
- 900 watt in built ceramic heater

GDH-DEH30E

- 30 litre moisture removal per day
- 6.5 litre storage container
- 24hr timer
- Digital temperature display



GDH-DEH20EP



GDH-DEH30E

TECHNICAL DATA

ECO COLUMN HEATERS



SPECIFICATIONS	OFRC10	OFRC10B	OFRC15	OFRC15B	OFRC24TI	OFRC24TIB
Barcode	5011139120014	5011139120434	5011139120021	5011139120465	5011139120526	5011139120533
Height (cm)	62.2	62.2	62.2	62.2	62.2	62.2
Width (cm)	28	28	28	28	28	28
Depth (cm)	33	33	37	37	54	54
Wattage (Watts)	1000	1000	1500	1500	2400	2400
Warranty	2yr	2yr	2yr	2yr	2yr	2yr
Electronic Timer	-	-	-	-	24hr	24hr
Heat Settings	2	2	2	2	2	2
Finish	Light Grey	Black	Light Grey	Black	Light Grey	Black
Thermostat Control	Mechanical	Mechanical	Mechanical	Mechanical	Mechanical	Mechanical

OIL COLUMN HEATERS



SPECIFICATIONS	OFC1200	OFC1500	OFC2400TI	OFC2400TIF
Barcode	5011139120113	5011139120106	5011139120083	5011139120076
Height (cm)	63.2	63.2	63.2	63.2
Width (cm)	23.5	23.5	24.5	24.5
Depth (cm)	33.8	37.8	52.7	52.7
Wattage (Watts)	1200	1500	2400	2400
Warranty	2yr	2yr	2yr	2yr
Electronic Timer	-	-	24hr	24hr
Heat Settings	2	2	2	2 + Turbo Fan
Finish	White	White	White	White
Thermostat Control	Mechanical	Mechanical	Mechanical	Mechanical

RADIANT HEATER



SPECIFICATIONS	GDH-RAD24F
Barcode	9420033200498
Height (cm)	59
Width (cm)	44
Depth (cm)	14.5
Wattage (Watts)	2400
Warranty	2yr
Heat Settings	4
Finish	White
Thermostat Control	Mechanical

CERAMIC HEATERS & TOWERS



SPECIFICATIONS	GDHCER20	GDHCER24SL
Barcode	9420033200573	9420033200580
Height (cm)	49.2	82.5
Width (cm)	23.4	26.3
Depth (cm)	9 (excluding base)	7 (excluding base)
Wattage (Watts)	2000	2400
Warranty	2yr	2yr
Electronic Timer	7.5hr	12hr
Heat Settings	2	2
Finish	Black/Silver	Black
Thermostat Control	-	Electronic
Remote Control	Yes	Yes

DEHUMIDIFIERS



SPECIFICATIONS	GDH-DEH16E	GDH-DEH20EP	GDH-DEH30E
Barcode	9420033200504	9420033200511	9420033200528
Height (cm)	58.2	58.2	54
Width (cm)	36.2	36.2	25.3
Depth (cm)	27	27	34
Wattage (Watts)	360	320	520
Warranty	2yr	2yr	2yr
Electronic Timer	12hr	12hr	24hr
Heat Settings	2	2	2
Heat Output (Watts)	-	900	-
Finish	Cream	Cream	White
Thermostat Control	Electronic	Electronic	Electronic

ELECTRIC FIRES



SPECIFICATIONS	MINICUBE-B	CUBE	RITZ-C	SPRINGBORNE	BRAYFORD	LEE	MOZART
Barcode	5011139201430	5011139120229	5011139070432	5011139074423	5011139074416	5011139072887	5011139075888
Height (cm)	37	49	59.5	54.5	54.5	72.5	85.7
Width (cm)	32	47	57	44	44	56.5	92
Depth (cm)	20	26	31.5	31	31	26	37.5
Wattage (Watts)	1500	2000	2000	2000	2000	2000	2000
Warranty	2yr	2yr	2yr	2yr	2yr	2yr	2yr
Heat Settings	2	2	2	2	2	2	2
Finish	Black	White	Matt Black	Matt Black	Matt Black	Premium Silver	Cream/Black
Thermostat Control	-	-	-	-	-	Mechanical	-

Glen Dimplex New Zealand Ltd

38 Harris Road, East Tamaki
Auckland, New Zealand
P.O. Box 58473, Botany
Manukau 2163, New Zealand

Phone: 09 274 8265

Fax: 09 274 8472

Email: sales@glendimplex.co.nz

Web: www.dimplex.co.nz

The colours of the photographs depicted in this brochure are as close to the Dimplex range as photographic lighting and modern printing processes allow.

Glen Dimplex Australia Pty Ltd's policy is one of continuous development. We reserve the right to change size and specifications without notice.

 **Dimplex[®]**